




VICKERS M15C

VICKERS LIMITED · VICKERS INSTRUMENTS

HAXBY ROAD · YORK
PURLEY WAY · CROYDON · CR9 4HN

The M15c biological microscope is a versatile instrument, suitable in its simplest form for schools or, with the extensive range and interchangeability of accessories, for research work.

The illumination is by either a 6 volt 15 watt Köhler type illuminator, a 25 watt mains voltage illuminator or a mirror for an external source. With the Köhler type illuminator the transformer is built into the base of the instrument with a variable rheostat and a colour temperature control meter.

A very high intensity source—100 watts at 12 volts, sufficient for projection of high power phase or polarizing images—is available from the tungsten halogen projection base, especially designed to take the M15c microscope. With this light source high colour temperatures, up to 3,300°K, can be obtained—an important advantage for colour photomicrography.

The precision ball bearing focusing slides are controlled by concentric coarse and fine focusing knobs, the fine control being graduated to 2 microns.

All objectives are par-focal and par-central and the higher powers of 20X magnification and above incorporate a spring-loaded anti-crash device for specimen protection.

All the viewing heads for the M15c microscope are interchangeable and the accessories available include a photo-visual or projection trip mirror unit, which allows all the light to be deflected to the eye or alternatively to a camera or a 6 inch diameter projection screen. A magnification changer with a focusing Bertrand lens and giving magnifications of 1X, 1.5X and 2.5X can be fitted.

Let us send you further information

ELECTRON MICROSCOPISTS!

We can now offer
over 70 chemicals for Electron Microscopy
from stock, including:

ACCELERATORS	CURING AGENTS
FIXATIVES	CATALYSTS
POLYMERS	EPOXIDES
RESINS	'STAINS'
UNSATURATED MONOMERS	

Also:

MAXTAFORM GRIDS	GRID BOXES
GELATIN CAPSULES	BEEM CAPSULES
WATCHMAKERS	BOW-SPRING
FORCEPS	SCISSORS

*Literature giving full details
of this new service from GURRS is
available on request*

GEORGE T. GURR LTD.

136-144, New King's Road, London, S.W. 6
Tel: RENown 5482/4
Cables: MICROSTAIN, London, S.W. 6

Details of Advertisement
rates and data for

Journal of Cell Science

may be obtained from:

Mr D. J. French

Cambridge University Press

Bentley House, P.O. Box 92

200 Euston Road

London, N.W. 1

or from

Miss Gretta Goldenman

Cambridge University Press

32 East 57th Street

New York, N.Y. 10022

The Journal of General Microbiology

Volume 49, Part 2, November 1967

J. Margaret Eadie Studies on the ecology of
certain rumen ciliate protozoa

K. J. Bent Electrophoresis of proteins of 3
Penicillium species on acrylamide gels

N. C. Khan & S. P. Sen Genetic transforma-
tion in *Pseudomonas*

Margaret J. Thornley A taxonomic study of
Acinetobacter and related genera

**R. Lahoz, F. Reyes, R. Beltrá & C. García-
Tapia** The autolysis of *Aspergillus terreus* in a
physiologically acid medium

M. Polsinelli & S. Barlati Effect of periodate
on competence in *Bacillus subtilis*

T. D. Hennessey Inducible β -lactamase in
Enterobacter

Mary Barnes & M. S. Parker Use of the
Coulter Counter to measure osmotic effects
on the swelling of mould spores during
germination

B. E. B. Moseley The isolation and some pro-
perties of radiation-sensitive mutants of
Micrococcus radiodurans

J. Pearce & N. G. Carr The metabolism of
acetate by the blue-green algae, *Anabaena*
variabilis and *Anacystis nidulans*

O. Caryl Wallis & G. S. Coleman Incorporation of ^{14}C -labelled components of
Escherichia coli and of amino acids by *Isotricha*
intestinalis and *Isotricha prostoma* from the
sheep rumen

O. W. Prozesky Arginine synthesis in *Pro-
teus mirabilis*

Ursula B. Pearce & B. A. D. Stocker Phase
variation of flagellar antigens in *Salmonella*:
abortive transduction studies


45s. net (\$7.50)

Annual subscription £20 (\$70.00)
for twelve issues

Published for the Society for
General Microbiology



CAMBRIDGE



Focus on Ultramicrotomy

This is the second of a series presenting the LKB Ultratome III by explaining its ability to solve problems in Ultramicrotomy.

LKB ULTRATOME III SOLVES PROBLEM OF ORIENTATION.

The grain of the structural detail of many specimens, such as fibers, films, membranes, muscle, skin and others, lies in more than one direction. Therefore this structural detail within the specimen must be located and the cutting correctly aligned to enable the best sections to be produced.

It is a great advantage to be able to produce sections either by cutting the specimen longitudinally or by making transverse cuts. The universal orientation head of the Ultratome III used together with the vise-type specimen

holder allows one and the same specimen to be adjusted in three directions perpendicular to each other without any need to loosen the specimen in the holder. Due to the goniometer-type construction of the orientation head with its unique 45° arc displacement, the axis of the specimen block can be positioned, and rigidly fixed at angles up to 45° with respect to the axis of the specimen arm. This provides the fastest and most precise structure orientation possible without the need for any reembedding or other additional procedures.

Having all-round mobility, and a vernier scale on the arc which allows adjustments of 0.1°, the orientation head needs only one precision adjustment to enable cutting sequences in two or three directions to be carried out.

This orientation head is exclusive to the LKB Ultramicrotome LKB 8800.



LKB INSTRUMENTS LTD. • 232 ADDINGTON RD. • S. CROYDON, SURREY CR2 8YD

OTHER
HEADQUARTERS
FOR SALES
AND SERVICE

SWEDEN
LKB-Produkter AB
Box 78,
Stockholm-Bromma 1

USA
LKB Instruments Inc.
12221 Parklawn Drive,
Rockville Md. 20852

NETHERLANDS
LKB-Produkten N.V.
Zeekant 35,
The Hague

DENMARK
LKB Instrument A/S
Amagerbrogade 34
Copenhagen S

‘MICHROME’

STAINS AND REAGENTS FOR MICROSCOPY, ETC.

Over 3,000 currently available, including:

Alcian blue	Giemsa Stain	Optoil
Aquamount	Indophenol	Pararosaniline chloride
Astrazone pink	Janus Green	Peptones
Auramine, O	Jenner stain	Rosolic acid
Aurantia	Laktoseal	Sudan Black
Azur, A, B, and C	Leishman stain	Sun Yellow G
Azur B bromide	Lipase	Thiofluorescein
Celloidin	Lipid Crimson	Trifalgic acid
†Chromosome Red	Luxol Fast Blue	Trypsin
Chlorazol black E	Matamount	Urease
Clearmount	Methyl Green	Violamine 3 B
Cristalite	Naphthyl phosphates	Wright stain
Cytase	Nile Blue	

DPX Mountant.

OPTOIL: synthetic, non-sticky immersion oil.

FLUORMOUNT & FLUOROIL: mountant and immersion oil for fluorescence microscopy

† Details on application.

FALG STAIN

(B.T. Squires' modification)—A new diagnostic agent with a variety of indications including: **Protein-Malnutrition; General State of health in Man and animals; malingering, etc.**

* Information leaflet A2 available gratis on request.

*RHODANILE BLUE

An entirely new type of basic dye conceived and synthesized for the first time by Dr Edward Gurr with the object of providing a new research tool. This unique polychrome dye, which possesses interesting and unusual properties, has a number of very useful applications both in polarized and ordinary light microscopy; for example, it provides a distinctive stain for fibrin.

* Information leaflet A1 available on request.

PAPANICOLAOU STAINS, ETC.

For cytological screening of smears for malignancy, etc.

Information leaflet A 4 on staining methods available gratis.

Catalogue available on request.

Recent Books by Edward Gurr

‘RATIONAL USE OF DYES IN BIOLOGY AND GENERAL STAINING METHODS’ 422 pages royal 8vo., 105/-.

‘STAINING ANIMAL TISSUES’ Practical and Theoretical, 631 pages, 84/-.

‘ENCYCLOPAEDIA OF MICROSCOPIC STAINS’

500 pages royal 8vo., price 95/-.




Edward Gurr Ltd.

42 UPPER RICHMOND ROAD WEST, LONDON, S.W.14

Cables: Micromlabs, London.

Telephone: 01-876 8228/9.

Uniform High Quality and Reliability



“History in the Breaking!”

In 1950 the first glass knife for ultramicrotomy was made, by methods which were rather unconventional and did not exactly guarantee reproducibility, by breaking a bottle.

In 1964 glass was still being broken to make knives for ultramicrotomy but LKB had produced the KnifeMaker. The KnifeMaker revolutionized the production of glass knives for ultramicrotomy by making it possible to produce knives easily, quickly, with a choice of predictable edge angle, economically, and with reproducibility.

Now in 1966, LKB has once again made history in breaking glass for knives, by introducing the unique Damping Device that adds even greater sensitivity (and more working edge per knife), to an instrument that has proved its reliability in ultramicrotomy laboratories and research establishments throughout the world.

Don't have a smashing time! Write today for further information on the KnifeMaker with the unique Damping Device that will give you a third more usable edge on your knives than you have ever had before!



LKB INSTRUMENTS LTD. • 232 ADDINGTON RD. • S. CROYDON, SURREY CR2 8YD

**OTHER
HEADQUARTERS
FOR SALES
AND SERVICE**

SWEDEN
LKB-Produkter AB
Box 78,
Stockholm—Bromma 1

USA
LKB Instruments Inc.
12221 Parklawn Drive,
Rockville Md. 20852

NETHERLANDS
LKB-Produkten N.V.
Zeekant 35,
The Hague

DENMARK
LKB Instrument A/S
Amagerbrogade 34
Copenhagen S

BRITISH SOCIETY FOR CELL BIOLOGY

ANNUAL GENERAL MEETING

The Annual General Meeting of the British Society for Cell Biology will be held at the Middlesex Hospital Medical School, London, on the 4th and 5th April 1968.

There will be a Symposium entitled 'The Dynamics of Cell Membranes' followed by a session of general papers.

Further information may be obtained from the Secretary/Treasurer:

DR L. M. FRANKS

IMPERIAL CANCER RESEARCH FUND

LINCOLN'S INN FIELDS

LONDON, W.C.2

A descriptive list of the

JOURNALS

PUBLISHED BY THE

CAMBRIDGE UNIVERSITY PRESS

may be had from

The Manager, Cambridge University Press, Bentley House

P.O. Box 92, 200 Euston Road, London, N.W.1

Or in U.S.A. from

Cambridge University Press, American Branch

32 East 57th Street, New York, N.Y. 10022, U.S.A.

important newcomer


to Pharmacia Gel Filtration Media

new agarose gels in
bead form


○○○○○○○○○○○○○○○○
Sepharose®

(Prepared according to S. Hjertén, Uppsala) for gel filtration of viruses and very high molecular weight macromolecules such as proteins, polysaccharides and nucleic acids.

Sepharose 4B	Approx. fractionation range ($\bar{M}_w$) 300,000—3 million
Sepharose 2B	Approx. fractionation range ($\bar{M}_w$) 2 million—25 million



Separation of ^{32}P -labelled adenovirus and poliovirus on Sepharose 2B.



Purification of a crude preparation of satellite tobacco necrosis virus on Sepharose 4B.

FURTHER INFORMATION ON SEPHAROSE® FROM:



PHARMACIA
(GREAT BRITAIN) LTD.
LEADERS IN GEL FILTRATION

PARAMOUNT HOUSE · 75 UXBRIDGE ROAD · LONDON W.5
or from Pharmacia Fine Chemicals · Uppsala · Sweden



CAMBRIDGE

The Journal of Experimental Biology

Edited by **V. B. WIGGLESWORTH & A. J. RAMSEY**

Volume 47, Number 2. October 1967

INGRID WALDRON. Mechanisms for the production of the motor output pattern in flying locusts.

INGRID WALDRON. Neural mechanism by which controlling inputs influence motor output in the flying locust.

BARBARA G. WILLIAMS and E. NAYLOR. Spontaneously induced rhythm of tidal periodicity in laboratory-reared *Carcinus*.

J. E. TREHERNE and S. H. P. MADDRELL. Axonal function and ionic regulation in the central nervous system of a phytophagous insect (*Carausius morosus*).

M. E. J. HOLWILL and N. R. SILVESTER. Thermodynamic aspects of flagellar activity.

M. E. J. HOLWILL and M. A. SLEIGH. Propulsion by hispid flagella.

ANN E. KAMMER. Muscle activity during flight in some large lepidoptera.

P. VOLPE, M. CARFAGNA and M. DI LORENZO. Extraretinal pigmentation and colour discrimination. I. Choice of colour of substrate during oviposition in *Drosophila melanogaster*.

V. VIRABHADRACHARI, R. V. KRISHNAMOORTHY and V. PARVATHESWARARAO. Visual pigments in a tropical freshwater fish *Etroplus maculatus* (Teleostei).

JOHN BRADY. The relationship between blood ions and blood-cell density in insects.

DANIEL K. HARTLINE. Impulse identification and axon mapping of the nine neurons in the cardiac ganglion of the lobster *Homarus americanus*.

Y. PICHON and J. BOISTEL. Current-voltage relations in the isolated giant axon of the cockroach under voltage-clamp conditions.

Y. PICHON and J. BOISTEL. Microelectrode study of the resting and action potentials of the cockroach giant axon with special reference to the rôle played by the nerve sheath.

30s. net. Annual Subscription (6 issues) £8

Published for the Company of Biologists, Limited

CAMBRIDGE UNIVERSITY PRESS

Journal of **CELL SCIENCE**

Formerly the Quarterly Journal of Microscopical Science

VOLUME 2, 1967

Editors:

H. G. CALLAN

A. V. GRIMSTONE

Editorial Board:

G. H. BEALE

H. E. HUXLEY

H. G. DAVIES

B. JOHN

J. B. FINEAN

J. M. MITCHISON

E. G. GRAY

D. H. NORTHCOTE

JEAN HANSON

J. PAUL

H. HARRIS

SIR JOHN RANDALL

J. HESLOP-HARRISON

M. G. P. STOKER

S. J. HOLT

Published for the Company of Biologists Limited

CAMBRIDGE UNIVERSITY PRESS

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS

NUMBER 1 MARCH 1967

page 1	CALLAN, H. G. The organization of genetic units in chromosomes
9	WHITEHOUSE, H. L. K. A cycloid model for the chromosome
23	HARRIS, H. The reactivation of the red cell nucleus
33	BLENKINSOPP, W. K. Mast cell proliferation in adult rats
39	OWEN, MAUREEN Uptake of [³ H]uridine into precursor pools and RNA in osteogenic cells
57	LING, N. R. and HOLT, P. J. L. The activation and reactivation of peripheral lymphocytes in culture
71	MEISELMAN, N., KOHN, A. and DANON, D. Electron microscopic study of penetration of Newcastle disease virus into cells leading to formation of polykaryocytes
77	JEFFS, R. A. and NORTHCOTE, D. H. The influence of indol-3yl acetic acid and sugar on the pattern of induced differentiation in plant tissue culture
89	BERRIDGE, M. J. and GUPTA, B. L. Fine-structural changes in relation to ion and water transport in the rectal papillae of the blowfly, <i>Calliphora</i>
113	GILLIS, J. M. and PAGE, SALLY G. Localization of ATPase activity in striated muscle and probable sources of artifact
119	MADDRELL, S. H. P. and TREHERNE, J. E. The ultrastructure of the perineurium in two insect species, <i>Carausius morosus</i> and <i>Periplaneta americana</i>
129	SMITH, J. W., PETERS, T. J. and SERAFINI-FRACASSINI, A. Observations on the distribution of the proteinpolysaccharide complex and collagen in bovine articular cartilage
137	MACGREGOR, H. C. and MACKIE, J. B. Fine structure of the cytoplasm in salivary glands of <i>Simulium</i>

NUMBER 2 JUNE 1967

page 145	MACGREGOR, H. C. Pattern of incorporation of [³ H]uridine into RNA of amphibian oocyte nucleoli
151	HAY, ELIZABETH D. and GURDON, J. B. Fine structure of the nucleolus in normal and mutant <i>Xenopus</i> embryos
163	GALL, J. G. The light microscope as an optical diffractometer
169	BEHNKE, O. and FORER, A. Evidence for four classes of microtubules in individual cells
193	WATKINS, J. F. and GRACE, D. M. Studies on the surface antigens of interspecific mammalian cell heterokaryons
205	MALHOTRA, S. K. and EAKIN, R. T. A study of mitochondrial membranes in relation to elementary particles
213	BAKER, T. G. and FRANCHI, L. L. The fine structure of oogonia and oocytes in human ovaries
225	SMITH-SONNEBORN, JOAN and PLAUT, W. Evidence for the presence of DNA in the pellicle of <i>Paramecium</i>
235	ODHIAMBO, T. R. The fine structure and histochemistry of the fat body in the locust, <i>Schistocerca gregaria</i>
243	WIGGLESWORTH, V. B. Cytological changes in the fat body of <i>Rhodnius</i> during starvation, feeding and oxygen want
257	PERRY, MARGARET M. Identification of glycogen in thin sections of amphibian embryos
265	MANTON, IRENE Further observations on the fine structure of <i>Chrysochromulina chiton</i> with special reference to the haptonema, 'peculiar' Golgi structure and scale production
273	NEVILLE, A. C. Factors affecting the tertiary structure of resilin in locusts
281	GRIMSTONE, A. V., ROTHERAM, SUSAN and SALT, G. An electron-microscope study of capsule formation by insect blood cells

NUMBER 3 SEPTEMBER 1967

- page 293 STOKER, M. G. P.
Transfer of growth inhibition between normal and virus-transformed cells: autoradiographic studies using marked cells
- 305 BLENKINSOPP, W. K.
Effect of tritiated thymidine on cell proliferation
- 309 MACINTYRE, ELIZABETH and PONTÉN, J.
Interaction between normal and transformed bovine fibroblasts in culture I. Cells transformed by Rous sarcoma virus
- 323 KEMP, R. B., JONES, B. M., CUNNINGHAM, I. and JAMES, M. C. M.
Quantitative investigation on the effect of puromycin on the aggregation of trypsin- and versene-dissociated chick fibroblast cells
- 341 CLARK, A. W.
The fine structure of the eye of the leech, *Helobdella stagnalis*
- 349 EAKIN, R. M., WESTFALL, JANE A. and DENNIS, M. J.
Fine structure of the eye of a nudibranch mollusc, *Hermisenda crassicornis*
- 359 CHAPMAN, J. A., ELVES, M. W. and GOUGH, J.
An electron-microscope study of the *in vitro* transformation of human leucocytes I. Transformation of lymphocytes to blastoid cells in the presence of phytohaemagglutinin
- 371 CHAPMAN, J. A., GOUGH, J. and ELVES, M. W.
An electron-microscope study of the *in vitro* transformation of human leucocytes II. Transformation to macrophages
- 377 JOHNSTON, PATRICIA V. and ROOTS, BETTY I.
Fixation of the central nervous system by perfusion with aldehydes and its effect on the extracellular space as seen by electron microscopy
- 387 HESLOP-HARRISON, J. and MACKENZIE, A.
Autoradiography of soluble [2-¹⁴C]thymidine derivatives during meiosis and microsporogenesis in *Lilium* anthers
- 401 NUNEZ, E. A., GOULD, R. P., HAMILTON, D. W., HAYWARD, J. S. and HOLT, S. J.
Seasonal changes in the fine structure of the basal granular cells of the bat thyroid
- 411 MANTON, IRENE
Further observations on scale formation in *Chrysomulina chiton*
- 419 HAYES, R. L. and ALLEN, E. R.
Electron-microscopic studies on a double-stranded beaded filament of embryonic collagen

- page 435 ASHHURST, DOREEN E.
The fibrillar flight muscles of giant water-bugs: an electron-microscope study
- 445 GAY, F. W. and ATTRIDGE, J. T.
The fine structure of cytoplasmic inclusions in a mycoplasma-like infection in mice
- 451 SPANSWICK, R. M. and COSTERTON, J. W. F.
Plasmodesmata in *Nitella translucens*: structure and electrical resistance

NUMBER 4 DECEMBER 1967

- 465 SABNIS, D. D. and JACOBS, W. P.
Cytoplasmic streaming and microtubules in the coenocytic marine alga, *Caulerpa prolifera*
- 473 CHOUINARD, L. A. and LEBLOND, C. P.
Sites of protein synthesis in nucleoli of root meristematic cells of *Allium cepa* as shown by radioautography with [³H]arginine
- 481 TUCKER, J. B.
Changes in nuclear structure during binary fission in the ciliate *Nassula*
- 499 BENEDETTI, E. L. and EMMELLOT, P.
Studies on plasma membranes
IV. The ultrastructural localization and content of sialic acid in plasma membranes isolated from rat liver and hepatoma
- 513 BRYAN, G. W., ZADYLAK, ARLENE H. and EHRET, C. F.
Photoinduction of plastids and of chlorophyll in a *Chlorella* mutant
- 529 LU, B. C.
Meiosis in *Coprinus lagopus*: a comparative study with light and electron microscopy
- 537 LEE, D. L. and ANYA, A. O.
The structure and development of the spermatozoon of *Aspiculuris tetraptera* (Nematoda)
- 545 GRIFFIN, M. J. and COX, R. P.
Studies on the mechanism of substrate induction and L-cyst(e)ine repression of alkaline phosphatase in mammalian cell cultures
- 557 O'BRIEN, T. P.
Cytoplasmic microtubules in the leaf glands of *Phaseolus vulgaris*
- 563 SLAUTTERBACK, D. B.
Coated vesicles in absorptive cells of *Hydra*

page 573	JONES, D. G. An electron-microscope study of subcellular fractions of <i>Octopus</i> brain
587	FINCH, J. T., KLUG, A. and NERMUT, M. V. The structure of the macromolecular units on the cell walls of <i>Bacillus polymyxa</i>
591	THORNHILL, R. A. The ultrastructure of the olfactory epithelium of the lamprey <i>Lampeira fluviatilis</i>
603	WIGGLESWORTH, V. B. Polyploidy and nuclear fusion in the fat body of <i>Rhodnius</i> (Hemiptera)
617	TOOZE, J. and DAVIES, H. G. Light- and electron-microscope studies on the spleen of the newt <i>Triturus cristatus</i> : the fine structure of erythropoietic cells

INFORMATION FOR CONTRIBUTORS

1 Manuscripts should be sent to The Editors, *Journal of Cell Science*, Department of Zoology, Cambridge, England.

2 Manuscripts must be typewritten, in double spacing throughout (including tables, references and legends). Each table should be typed on a separate sheet. Legends to figures should be typed in a single series and placed at the end of the manuscript. Papers must be fully corrected by the author, and a charge will be made for excessive alteration in proof.

3 A short title of not more than 40 characters, for use as page headings, should be supplied if the full title is longer than this.

4 Manuscripts must contain a **Summary** of not more than 500 words, placed immediately after the title page. Contributors should also send three copies of an **Abstract** for distribution to abstracting journals. The abstract must be not more than 100 words long and should be headed by the author's name and address and the title of the paper. Both summary and abstract must be intelligible without reference to the main text.

5 The list of **References** must be given in alphabetical order of authors' names. The titles of journals should be abbreviated in accordance with the *World List of Scientific Periodicals*, 4th ed. (1963). The following style is used:

- BARNICOT, N. A. & HUXLEY, H. E. (1965). Electron microscope observations on mitotic chromosomes. *Q. Jl microsc. Sci.* **106**, 197-214.
- MAZIA, D. (1961). Mitosis and the physiology of cell division. In *The Cell*, vol. 3 (ed. J. Brachet & A. E. Mirsky), pp. 77-412. New York and London: Academic Press.

Citations in the text are given in the following form: Jones & Smith (1960) or (Jones & Smith, 1960). Where there are more than two authors the first citation should include all the names and subsequent

citations should be in the form (Jones *et al.* 1960). Where more than one paper by the same author(s) have been published in the same year they are cited as Jones (1960a), Jones (1960b) etc.

6 **Text figures** should preferably be drawn about twice final size; very large drawings should be avoided. Photographic reproductions of drawings cannot always be satisfactorily reproduced. The maximum printed size of a drawing is 5 in. by 8 in. Lettering will be inserted by the printers and should be indicated on drawings in faint blue pencil or on a tracing-paper overlay. It should be in lower case, and abbreviations should not be used if there is space for complete words.

7 **Photographs** should preferably be submitted the same size as they are to appear. The maximum area for a plate is 5½ in. by 8¼ in. Where several photographs make up a plate they should be accurately mounted on one sheet of cardboard. Irregularly shaped photographs or plates should be avoided wherever possible. Lettering on plates will be inserted by the printers and should be indicated either on a duplicate, marked set of prints or on a tracing-paper overlay bearing accurately marked outlines of the objects indicated. Authors may be asked to contribute to the cost of plates in excess of four.

8 Text figures and photographs should be numbered in a single series, all text figures preceding the photographs. Each individual drawing or photograph should be numbered separately (Fig. 1, Fig. 2 and so on).

9 Where appropriate the magnifications of illustrations should be indicated by scales drawn on them. Magnifications may also be stated in the legends.

10 Authors will receive 50 offprints free of charge and may order additional copies when proofs are returned.